


KUANG-CHOU SHIPYARD TUNG-LANG CHINA





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

Declassification reveiw by NIMA/DoD




25X1

Approved For Release 2004/05/12: CIA-RDP78B04560A004600010039-6



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.



LITOU SHIFT AND TONG-LANG.

- 2 -

25X1

25X1D

25X1D

Approved For Release 2004/05/12 : CIA-RDP78B04560A004600010039-6 SFCRFT NPIC/R-124/65

KUANG-CHOU SHIPYARD TUNG-LANG, CHINA

INTRODUCTION

This report is one of a series describing Chinese Communist shipyards and ports as

Crinese Communist shippards and ports as observed on aerial photography.


The Kuang-chou Shippard Tung-lang shotated in Kuang-chou, China, on the Chu Chiang (River) at 23-04-25N 113-15-00E (Figure 1).

railways, a fitting-out quay, 2 steamplants, a probable foundry, and 4 craneways (one under construction and one being extended). Handling equipment includes 3 tower jib cranes, 2 bridge cranes and 5 mobile jib cranes. The shipyard is partially secured by a wall. Vessels observed are listed in Table 1.

DESCRIPTION

The shipyard facilities (Figure 2) consist of 2 building ways, 2 graving docks, 5 marine

Changes indicate extensive modernization and maintenance of the facilities. A fabrication building and 6 other buildings have been razed.



Approved FS FGBFT 2004/05/12 : CIA-RDP78B04560A004600010039-6

25X1

SECRET Approved For Release 2004/05/12: CIA-RDP78B04\$60A004600010039-6

25X1

NPIC/R-124/65

Table 1. Vessels (Locations keyed to Figure 2)

25X1C

Location	Identification	Size (ft)/ Configuration/ Hatches	Status	Identification	Size (ft)/ Configuration/ Hatches	Status
6				U/I vessel	70 x 20	Repair
7				River freighter	95 x 25/-/3	Repair
8	U/I vessel	95 x 20	Repair	U/I vessel	100 x 30	Repair
9	U/I vessel	115 x 30	Repair	Bulk cargo	125 x 30/-/8	Repair
12	U/I vessel	110 x 20	U/C	U/I vessels (4)	95 x 25	U/C
	U/I vessels (3)	80 x 20	U/C	-,		0,0
	U/I vessel	140 x 25	U/C			
	U/I vessel	90 x 20	U/C			
14	U/I vessels (2)	90 x 20	U/C	U/I vessels (5)	95 x 25	U/C
	U/I vessel	110 x 30	U/C	(1)		-, -
21	Freighter	210 x 30/KKF/3	Repair	Freighter	180 x 35/-/3	U/C
22	Bulk cargo	230 x 45/-/8	U/C	Freighter	235 x 45/-/4	U/C
	U/I vessel	220 x 35	U/C	Freighter	205 x 40/-/3	U/C
46	Ferry boat	160 x 35	-, -	Trawler	155 x 25	0,70
	U/I vessel	160 x 35		U/I vessel	100 x 20	
	Freighter	310 x 45/MFM/4		Bargo	140 x 25	
	LSM (2)	200 x 35	Fitting out	Bulk cargo	250 x 40/-/8	Fitting out
	Kronshtadt-class PC	165 x 20	9	U/I vessel	140 x 30	
	U/I vessel	130 x 25		Freighter	425 x 50/MKFM/5	Fitting out
	U/I vessels (5)	70 x 15		Ferry boat 165 x 30		
	U/I vessels (2)	60 x 10		U/I vessel	135 x 25	
	U/I vessel	115 x 30		U/I vessel	85 x 15	
	U/I vessel	80 x 30	i	Freighter	270 x 40/KKF/3	Fitting out
	U/I vessels (3)	90 x 20		Freighter	180 x 30	
	Bulk cargo (2)	180 x 35/-/2		U/I vessels (2)	95 x 20	
	Freighter	145 x 30/MF/2		Trawlers (3)	95 x 20	
	U/I vessel	100 x 25		Bulk cargo	140 x 25/-/8	
				U/I vessels (2)	130 x 25	

REFERENCES

MAPS OR CHARTS			
	Caring 000 Chapt COR14	-6HL, 3d ed, Feb 63 (SEC	ND FOR
US AIT Target Chart	, series 200, shoet 50014	-one, ad ed, reb oa (sec	, NE I
REQUIREMENT			

25X1D

25X1C

25X1

25X1